



CorePro LEDspot MV

Corepro LEDspot 3.5-35W GU10 830 36D



CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information		Power (Rated) (Nom)	
Cap-Base	GU10 [GU10]		3.5 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	32 mA
Switching Cycle	50000X	Wattage Equivalent	35 W
Technical Type	3.5-35W	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	65 °C
Beam Angle (Nom)	36 °		
Luminous Flux (Nom)	265 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	265 lm	Dimmable	No
Luminous Intensity (Nom)	565 cd		
Color Designation	White (WH)	Approval and Application	
Rated Beam Angle	36 °	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	3000 K	Energy Efficiency Label (EEL)	A++
Luminous Efficacy (rated) (Nom)	75.00 lm/W	Energy Consumption kWh/1000 h	4 kWh
Color Consistency	<6		
Color Rendering Index (Nom)	80	Product Data	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Full product code	871869672833800
Luminous Flux in 90° Cone (Rated)	265 lm	Order product name	Corepro LEDspot 3.5-35W GU10 830 36D
Operating and Electrical		EAN/UPC - Product	8718696728338
Input Frequency	50 to 60 Hz		

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

